

COPY



Alston & Bird LLP

Bank of America Plaza
101 South Tryon Street, Suite 4000
Charlotte, NC 28280-4000
(704) 444-1000
Fax (704) 444-1111

October 31, 2006

Certificate of Correction Branch
Commissioner for Patents
P.O. Box 1450
Alexandria, VA 22313-1450

Re: United States Patent for *System, Computer Program Product, Computing Device, And Associated Methods For Form Identification And Information Manipulation*
Application No. 09/540,469; Filed March 31, 2000
Patent No. 7,091,959; Issued August 15, 2006
Our File 040964/197269

Sir:

It is respectfully requested that a Certificate of Correction be issued for the above-identified patent, in accordance with 37 C.F.R. §1.322. This request is made in order to correct the mistakes incurred through the fault of the United States Patent and Trademark Office ("USPTO").

The mistakes appearing in the patent are set forth on the Certificate of Correction enclosed herewith, with an additional copy thereof and a postal card being enclosed in accordance with the present USPTO practice.

Respectfully submitted,

Andrew T. Spence
Registration No. 45,699

**Certificate
of Correction**
NOV 07 2006

ATS:mf
Enclosures

**UNITED STATES PATENT AND TRADEMARK OFFICE
CERTIFICATE OF CORRECTION**

PATENT NO. : 7,091,959 B1

Page 1 of 1

APPLICATION NO. : 09/540,469

ISSUE DATE : August 15, 2006

INVENTOR(S) : Clary

It is certified that an error appears or errors appear in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

Column 30,

Line 5, "defects" should read --detects--;

Line 21, "n" should read --m--.

Column 32,

Line 7, "or" should read --of--.

Column 34,

Line 8, after "an" cancel "the";

Line 39, "concerning" should read --converting--.

MAILING ADDRESS OF SENDER

ALSTON & BIRD LLP
Bank of America Plaza
101 South Tryon Street, Suite 4000
Charlotte, NC 28280-4000
Tel Charlotte Office (704) 444-1000

UNITED STATES PATENT AND TRADEMARK OFFICE CERTIFICATE OF CORRECTION

PATENT NO. : 7,091,959 B1

Page 1 of 1

APPLICATION NO. : 09/540,469

ISSUE DATE : August 15, 2006

INVENTOR(S) : Clary

It is certified that an error appears or errors appear in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

Column 30.

Line 5, "defects" should read --detects--;

Line 21, "n" should read --m--.

Column 32.

Line 7, "or" should read --of--.

Column 34.

Line 8, after "an" cancel "the";

Line 39, "concerning" should read --converting--.

MAILING ADDRESS OF SENDER

ALSTON & BIRD LLP
Bank of America Plaza
101 South Tryon Street, Suite 4000
Charlotte, NC 28280-4000
Tel Charlotte Office (704) 444-1000